

Vespa®

VESPA.COM  
VESPAINDIA.COM



For CHILDREN  
A BETTER LIFE FOR THE  
CHILDREN OF THE WORLD

75

Vespa®

# 75 YEARS YOUNG

Vespa 75th is a celebration of all the cultural and stylistic milestones of the brand beginning in the 1940s. These milestones have been embodied in its iconic steel body, which reflects the storied heritage and unique qualities that continue to make Vespa special and relevant today. The Vespa 75th pays tribute to the brand's identity while simultaneously probing into the future of mobility through timeless, iconic design.



75

Vespa®



## DISTINGUISHING DETAILS

Representing its glorious history, the Vespa 75th special edition proudly flaunts a symbolic number: 75. As an elegant accompaniment to the distinct glossy metallic Giallo 75th colour scheme, the Vespa 75th features a matte metallic pyrite yellow graphic on the side and the mudguard, which matches the colour of the corresponding "tie." This updated interpretation of a 40s-era colour scheme is accompanied by a celebratory plaque signifying this important occasion.



# A SPECIAL EDITION

Acute attention to detail can be seen in the chrome features of the front "tie" and the machined wheel rims in the dust grey colouring. Touching the dark smoke grey coloured seat made of soft Nabuk reveals that the same refined material used for the trim also elegantly finishes the seat. Every design decision make this celebratory vehicle a truly unique and special model.







## ICONIC ELEMENT

A tailored bag was specifically designed for this model to celebrate Vespa as an icon of style. It is positioned on the rear rack. The bag was carefully crafted to carry out dual functions: it serves as an elegant vehicle accessory, as well as a stylish add-on to be flaunted even while not riding. The bag comes standard on all the Vespa 75th models: it is easy to mount and remove from the elegant chrome rack.



# WELCOME KIT

Vespa 75th welcomes you to a new era with a special Welcome Kit. You can travel through the decades thanks to a selection of collectable postcards ranging from the 40s to the present and a dedicated vintage Vespa sign.

# VESPA 75th 125 / 150 cc

## TRADITION AND INNOVATION

Sheet metal body with welded reinforcements

## MAXIMUM SAFETY

For 150 cc, ABS braking system and For 125 cc Combi Braking System

## ECOLOGY AND ECONOMY

4-stroke, 3V engine, low consumption and emissions in compliance with BS VI standard

## TECNOLOGY AND STYLE

Full LED headlamp and daylight running lights and Semi Digital Cluster

|                          | VESPA 75th SPECIAL EDITION 125 cc  | VESPA 75th SPECIAL EDITION 150 cc  |
|--------------------------|--|--|
| Engine                   | Single Cylinder 4 stroke, Air cooled, SOHC, 3 valves FI                                    | Single Cylinder 4 stroke, Air cooled, SOHC, 3 valves FI                                    |
| Displacement             | 124.45 cc  | 149.5 cc   |
| Bore x stroke            | 52 mm x 58.6 mm  | 58 mm x 56.6mm   |
| Max Power at crank shaft | 9.92 PS @ 7500 rpm   | 10.47 PS @ 7600 rpm  |
| Max Torque               | 9.60 Nm @ 5500 rpm   | 10.60 Nm @ 5500 rpm  |
| Fuel system              | Electronic injection with throttle body, Single Injector                                   | Electronic injection with throttle body, Single Injector                                   |
| Cooling                  | Forced-air circulation cooling   | Forced-air circulation cooling   |
| Starter                  | Kick starter / Electric starter  | Kick starter / Electric starter  |
| Load-bearing structure   | Monocoque Full Steel body construction   | Monocoque Full Steel body construction   |
| Front suspension         | Aircraft Derived Hydraulic Single Side arm Front suspension with Anti-Dive characteristics | Aircraft Derived Hydraulic Single Side arm Front suspension with Anti-Dive characteristics |
| Rear suspension          | Rear Suspension with Dual-Effect Hydraulic Shock Absorber. With four position adjustable.  | Rear Suspension with Dual-Effect Hydraulic Shock Absorber. With four position adjustable.  |
| Front brake              | CBS - Disc brake (Ø 200 mm) with Hydraulic control & caliper                               | ABS - Disc brake (Ø 200 mm) with Hydraulic control & caliper                               |
| Rear brake               | 140 mm Rear Drum Brake   | 140 mm Rear Drum Brake   |
| Front tyre               | Tubeless tyre 110/70 - 11 45L  | Tubeless tyre 110/70 - 11 45L  |
| Rear tyre                | Tubeless tyre 120/70 - 10 54L  | Tubeless tyre 120/70 - 10 54L  |
| Length/Width/Wheelbase   | 1770 mm / 690 mm / 1290 mm   | 1770 mm / 690 mm / 1290 mm   |
| Seat Height              | 770 mm   | 770 mm   |
| Fuel tank capacity       | 7.4 litres**   | 7.4 litres**   |
| Emissions compliance     | BS VI  | BS VI  |